

ELEMENT continuous control valve systems – overview



Angle-seat control valve
Continuous ELEMENT system
Type 8802-YG



Globe control valve
Continuous ELEMENT system
Type 8802-GD



Diaphragm control valve
Continuous ELEMENT system
Type 8802-DF




The design of the System Type 8802 continuous ELEMENT enables the easy integration of digital automation modules whether they are simple Positioner Basic, high-capacity Positioner with optional integrated fieldbus interface or even a digital process controller with easy handling thanks to the backlighting of the graphics display.

The fully integrated system with control valve and automation system has a compact and smooth design, integrated pneumatic lines, IP65/67/NEMA 4X protection class and superior chemical resistance.

Technical data

Please see individual datasheets

Content

	Type 8802-YG Type 2300 + 8692/8693/8694/8696/8792/8793	
	Ordering info.	p. 2
	Type 8802-GD Type 2301 + 8692/8693/8694/8696/8792/8793	
	Ordering info.	p. 3
	Type 8802-DF Type 2103 + 8692/8693/8694/8696/8792/8793	
	Ordering info.	p. 4

Ordering information for control valve system Continuous ELEMENT Type 8802-YG

A control valve system Continuous ELEMENT Type 8802-YG consists of an angle-seat control valve Type 2300 and a positioner or process controller.















The range of positioner and process controller consists of:

- a digital electropneumatic positioner / process controller **Type 8692 / 8693** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8694** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8696** (for valve actuator size Ø 50 mm)
- an electropneumatic positioner SideControl **Type 8792** or an electropneumatic process controller SideControl **Type 8793** (for valve actuator sizes Ø 70/90/130 mm) and a remote sensor **Type 8798**

You order two components and receive a complete assembled and certified valve.

Click on the orange box "More info." below... you will come to our website for the resp. product where you can download the datasheet.

Ordering the control valve system Continuous ELEMENT Type 8802-YG

<u>Angle-seat control valve Type 2300</u>	<u>Control units</u>				
	 More info.	 More info.	 More info.	 More info.	 More info.
	Positioner Typ 8692  DeviceNet™	Process controller Typ 8693  DeviceNet™	Positioner Basic Typ 8694 	Positioner Basic Typ 8696	Positioner Typ 8792 Process controller Typ 8793
<u>Angle-seat ELEMENT control valve system</u>					
					
	Control valve system Type 8802-YG-I 2300 + 8692 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-YG-J 2300 + 8693 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-YG-L 2300 + 8694 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-YG-N 2300 + 8696 (actuator size Ø50 mm)	Control valve system Type 8802-YG-P 2300 + 8792 Type 8802-YG-Q 2300 + 8793 (actuator sizes Ø70/90/130 mm)

For the configuration of further valve systems please use the "Request for quotation" in the datasheet 2300_8802-YG

Ordering information for control valve system Continuous ELEMENT Type 8802-GD

A control valve system Continuous ELEMENT Type 8802-GD consists of a globe control valve Type 2301 and a positioner or process controller.












The range of positioner and process controller consists of:

- a digital electropneumatic positioner / process controller **Type 8692 / 8693** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8694** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8696** (for valve actuator size Ø 50 mm)
- an electropneumatic positioner SideControl **Type 8792** or an electropneumatic process controller SideControl **Type 8793** (for valve actuator sizes Ø 70/90/130 mm) and a remote sensor **Type 8798**

You order two components and receive a complete assembled and certified valve.

Click on the orange box "More info." below... you will come to our website for the resp. product where you can download the datasheet.

Ordering the control valve system Continuous ELEMENT Type 8802-GD

Globe control valve Type 2301	Control units				
	 More info.	 More info.	 More info.	 More info.	 More info.
	Positioner Typ 8692 <i>PROFI BUS</i> DeviceNet™	Process controller Typ 8693 <i>PROFI BUS</i> DeviceNet™	Positioner Basic Typ 8694 <i>AS</i>	Positioner Basic Typ 8696	Positioner Typ 8792 Process controller Typ 8793
Globe ELEMENT control valve system					
					
	Control valve system Type 8802-GD-I 2301 + 8692 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-GD-J 2301 + 8693 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-GD-L 2301 + 8694 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-GD-M 2301 + 8696 (actuator size Ø50 mm)	Control valve system Type 8802-GD-P 2301 + 8792 Type 8802-GD-Q 2301 + 8793 (actuator sizes Ø70/90/130 mm)

For the configuration of further valve systems please use the "Request for quotation" in the datasheet 2301_8802-GD

Ordering information for control valve system Continuous ELEMENT Type 8802-DF

A control valve system Continuous ELEMENT Type 8802-DF consists of a diaphragm control valve Type 2103 and a positioner or process controller.















The range of positioner and process controller consists of:

- a digital electropneumatic positioner / process controller **Type 8692 / 8693** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8694** (for valve actuator sizes Ø 70/90/130 mm)
- a digital electropneumatic positioner Basic **Type 8696** (for valve actuator size Ø 50 mm)
- an electropneumatic positioner SideControl **Type 8792** or an electropneumatic process controller SideControl **Type 8793** (for valve actuator sizes Ø 70/90/130 mm) and a remote sensor **Type 8798**

You order two components and receive a complete assembled and certified valve.

Click on the orange box "More info." below... you will come to our website for the resp. product where you can download the datasheet.

Ordering the control valve system Continuous ELEMENT Type 8802-DF

Diaphragm control valve Type 2103	Control units				
 More info.	 More info.	 More info.	 More info.	 More info.	 More info.
	Positioner Typ 8692 	Process controller Typ 8693 	Positioner Basic Typ 8694 	Positioner Basic Typ 8696	Positioner Typ 8792 Process controller Typ 8793
Diaphragm ELEMENT control valve system					
					
	Control valve system Type 8802-DF-I 2103 + 8692 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-DF-J 2103 + 8693 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-DF-L 2103 + 8694 (actuator sizes Ø70/90/130 mm)	Control valve system Type 8802-DF-N 2103 + 8696 (actuator size Ø50 mm)	Control valve system Type 8802-DF-P 2103 + 8792 Type 8802-DF-Q 2103 + 8793 (actuator sizes Ø70/90/130 mm)

For the configuration of further valve systems please use the "Request for quotation" in the datasheet 2103_8802-DF

To find your nearest Bürkert facility, click on the orange box → www.burkert.com

In case of special application conditions, please consult for advice.

Subject to alterations.
© Christian Bürkert GmbH & Co. KG

1612/3_EU-en_00895135